

DEPARTMENT OF PERMITTING, ENVIRONMENT, AND REGULATORY AFFAIRS (PERA)

BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

PRODUCT CONTROL SECTION 11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

MIAMI-DADE COUNTY, FLORIDA

www.miamidade.gov/pera/

Historical Arts and Casting, Inc. 5580 West Bagley Park Road West Jordan, UT 84081

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA-Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "HACI 2000" Bronze Fixed Window - L.M.I.

APPROVAL DOCUMENT: Drawing No. H222.1008.10, titled "HACI 2000 Series Bronze Windows", sheets 1 through 6 of 6, dated 02/21/11 with the latest revision dated 03/15/12, prepared by Wolters Engineering, Inc., signed and sealed by Scott Wolters, P. E., bearing the Miami-Dade County Product Control Section stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/ or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page 1, evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by Jaime D. Gascon, P. E.

MIAMI-DADE COUNTY

NOA No. 11-0602.05 Expiration Date: March 29, 2017 Approval Date: March 29, 2012 Page 1

Historical Arts and Casting, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

- 1. Manufacturer's die drawings and sections.
- 2. Drawing No. **H222.1008.10**, titled "HACI 2000 Series Bronze Windows", sheets 1 through 6 of 6, dated 02/21/11 with the latest revision, dated 03/15/12, prepared by Wolters Engineering, Inc., signed and sealed by Scott Wolters, P. E.

B. TESTS

- 1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202–94
 - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201–94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per FBC 2411.3.2.1, and TAS 202-94

along with marked-up drawings and installation diagram of fixed window, prepared by Hurricane Test Laboratory, LLC, Test Report No. **HTL-0222-0701-09**, dated 04/13/10, signed and sealed by Vinu J. Abraham, P. E.

C. CALCULATIONS

- 1. Anchor verification calculations and structural analysis, complying with FBC–2007 and FBC–2010, dated 05/27/11, prepared by Wolters Engineering, Inc., dated 11/01/11, signed and sealed by Scott Wolters, P. E.
- 2. Glazing complies with ASTM E1300–04

D. QUALITY ASSURANCE

1. Miami-Dade Department of Permitting, Environment, and Regulatory Affairs (PERA).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. 07-1116.11 issued to Saf-Glas, LLC for their "SAF-GLAS Polycarbonate Laminate", dated 12/27/07, expiring on 12/16/12.

F. STATEMENTS

- 1. Statement letter of conformance and complying with FBC-2010, issued by Wolters Engineering, Inc., dated 03/05/12, signed and sealed by Scott Wolters, P. E.
- 2. Statement letter of no financial interest, conformance and complying with FBC-2007, issued by Wolters Engineering, Inc., dated 05/27/11, signed and sealed by Scott Wolters, P.E.
- 3. Laboratory compliance and addendum letter for Test Report No. HTL-0222-0701-09, issued by Hurricane Test Laboratory, LLC, dated 04/13/10 and 10/21/11, both signed and sealed by Vinu J. Abraham, P. E.

G. OTHERS

1. None.

Jaime D. Gascon, P. E. Product Control Section Supervisor


ect Control Section Supervisor NOA No. 11-0602.05


Expiration Date: March 29, 2017 Approval Date: March 29, 2012


HACI 2000 SERIES BRONZE FIXED WINDOWS

GENERAL NOTES:

- 1. THIS APPROVAL APPLIES TO HACI 2000 SERIES IMPACT RESISTANT FIXED WINDOWS WHEN CONSTRUCTED AND INSTALLED AS DESCRIBED HEREIN.
- 2. APPROVED CONFIGURATIONS: SINGLE "O" OR MULLED "O-O" FIXED GLASS, WITH OR WITHOUT HACI OUTSWING CASEMENT WINDOWS PER SEPARATE APPROVAL (SEE DETAILS TO THE RIGHT)
- 3. ALLOWABLE DESIGN PRESSURES: +/-70 PSF
- 4. THESE WINDOWS HAVE BEEN DESIGNED AND TESTED TO TAS 201, 202, AND 203 PROTOCOLS IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 2007 AND FBC 2010 INCLUDING THE HIGH VELOCITY HURRICANE ZONE.
- 5. THESE WINDOWS ARE LARGE AND SMALL MISSILE IMPACT RATED, SHUTTERS ARE NOT REQUIRED.
- 6. WOOD OR MASONRY OPENINGS, BUCKS, AND BUCK FASTENERS, BY OTHERS, SHALL BE PROPERLY DESIGNED AND INSTALLED TO TRANSFER LOADS TO THE STRUCTURE.
- 7. ANCHOR TYPE, SIZE, SPACING, AND EMBEDMENT SHALL BE AS INDICATED IN THIS APPROVAL. ANCHOR EMBEDMENT TO SUBSTRATE SHALL BE BEYOND WALL DRESSING OR STUCCO.
- 8. ALL FASTENERS PENETRATING INTO PRESSURE TREATED WOOD SHALL BE CAPABLE OF PREVENTING CORROSION DUE TO REACTION WITH PRESSURE TREATMENT CHEMICALS.
- 9. DISSIMILAR MATERIALS THAT COME INTO CONTACT SHALL BE PROTECTED TO PREVENT REACTIONS IN ACCORDANCE WITH FBC CHAPTER 20.
- 10. WIND LOAD ALLOWABLE STRESS INCREASES WERE NOT USED IN THIS APPROVAL. A WIND LOAD DURATION FACTOR Cd = 1.6 WAS USED FOR THE ANALYIS OF WOOD SCREWS.
- 11. WINDOWS SHALL BE GLAZED IN ACCORDANCE WITH GLAZING DETAIL 1, THIS SHEET









······································		
	GLAZING DESCRIPTION	ALLOWABLE DESIGN
OPTION	MAKEUP	PRESSURES
9/16" SAF-GLAS SECURITY IMPACT GLASS MIAMI-DADE NOA # 07-1116.11	1/4" HEAT STRENGTHENED GLASS / .025 CLEAR FILM /.125 POLYCARBONATE / .025 CLEAR FILM / 1/4" HEAT STRENGTHENED GLASS	+70/-70 PSF

	DRAWING INDEX
SHT. NO.	DESCRIPTION
10F6	NOTES, GLAZING DETAIL
20F6	WINDOW ELEVATIONS & BILL OF MATERIALS
30F6	TYPICAL MOUNTING OPTIONS
40F6	SECTION DETAILS
50F6	EXTRUSIONS PROFILES
60F6	ISOMETERIC VIEWS



SEE SEPARATE APPROVAL FOR HACI OUTSWING CASEMENT WINDOWS



APPROVED CONFIGURATIONS (NOT SHOWN HERE ARE REQ'D TRUE DIVIDED LITES, SEE ELEV. SHT. 2)

> 9/16" SAF-GLAS IN ACCORDANCE

TABLE TO THE LEFT AFTER GLASS STOP IS

SET, INSTALL CAP BEAD OF CAULK ON BOTH

SIDES OF GLASS, DOW

1/8" X 1/2" NORTON 1 NORSEAL FOAM TAPE.

795 1/8" X 1/8"


CAULK SHIM SPACE BEFORE PLACING FOAM

TAPE & GLASS STOP.

FHMS @ 2" FROM

#8-32 x 1 1/4" BRONZE

CORNERS AND 8" OC. MAX.





1 SAF-GLAS GLAZING DETAIL


FLPE# 62354

Approved as complying with the


WOLTERS ENGINEERING, INC. (COA# 27194) 1271 GRANT STREET HOLLYWOOD, FL 33019 MAR 1 5 2012








TYPICAL INSTALLATION HEAD, SILL, JAMB MOUNT TO WOOD NOT TO SCALE



TYPICAL INSTALLATION HEAD, SILL, JAMB MOUNT TO CONCRETE NOT TO SCALE



TYPICAL INSTALLATION HEAD, SILL, JAMB MOUNT TO METAL NOT TO SCALE


There


FLPE# 62354 WOLTERS ENGINEERING, INC. (COA# 27194) 1271 GRANT STREET HOLLYWOOD, FL 33019 MAR 1 5 2012


S. & CASTING,INC.
Set Jondan, Ut. 84081
Fax 801-280-2498
HZZZ.1008.10 SERIES BRONZE WINDOWS 2/21/2011


HISTORICAL ARTS & 5580 WEST Bugley PARE RD. WEST JO 2000 NOTES REVISIONS

FASTENER SPACING PER ELEVATIONS ON SHEET 2 OF 6











Approved as complying with the Florida Building Code
Date 3/29/2012
NOA#...
Miami Dadé Product Control
By Weet In

SCOTT WOLTERS
FLPE# 62354
WOLTERS ENGINEERING, INC.
(COA# 27194)
1271 GRANT STREET
HOLLYWOOD, FL 33019
MAR 1 5 2012


HACI 2000 SERIES BRONZE WINDOWS	HISTORICAL ARTS & CASTING,INC.	K, Ur. 84081	FAX 801-280-2493	2, 200, 100, 10	HZZZ.1008.10		0 /04 /0044	2/61/6011		T A T	TW1
BRONZE	ARTS & C	Ro. WEST JORDAN									
SERIES	ORICAL /	5580 WEST Bardey PARK RD., WEST JOHDAN, UT. 84081	PHONE 801-280-2400	NOA# 11-0802.05							
2000	HIST	5580 1	PHONE		OT	ES		RR	VIS	101	VS
HACI				2	1	()			(




1 MUNTIN (1.E)
SCALE: NTS




© GLASS STOP (1.F)




8 EXTERIOR MULLION (1.H)




9 INTERIOR MULLION (1.I)




11 INTERIOR MEETING STILE (1.K)



DW2000.84 FIXED SILL/JAMB (1.L)




13 APPLIED BRICKMOLD (1.M)
SCALE: NTS




TREX BLOCKING


ALL METAL EXTRUSIONS BRONZE ALLOY 380




SCOTT WOLTERS
FLPE# 62354
WOLTERS ENGINEERING, INC.
(COA# 27194)
1271 GRANT STREET
HOLLYWOOD, FL 33019
MAR I 5 2012

2000 SERIES BRONZE WINDOWS	HISTORICAL ARTS & CASTING,INC. 5580 FEST BAGES FARE RD. FIRST JOSEAN, UT. 84081 PROME 801-280-2400 FAX 801-280-2498	H222.1008.10	100/10/0	2/21/2011	LAT
BRONZE	ARTS & (Ro. West Jorga				
SERIES	HISTORICAL ARTS & CASTING 5580 WEST BROOF PARK RD. WEST JORDAN, UT. 84081 PRONE 801-280-2400 FAX 801-230				
2000	HIST 5580 W	NOT	ES	REVI	SIONS







FLPE# 62354 WOLTERS ENGINEERING, INC. (COA# 27194) 1271 GRANT STREET HOLLYWOOD, FL 33019

MAR 1 5 2012

CASTING, INC. EDAN, Ut. 84081 FAX 801-280-2493 SERIES BRONZE WINDOWS 2/21/2011 જ

ARTS (HISTORICAL A
5580 WEST Burder PARK R
PROVE 801-280-2400 NOTES REVISIONS

2000